

Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control




Duct: 1 x 150mm  $\phi$  Rear Outlet




Soffit Opening - 780mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.





Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control




Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 780mm x 266mm





Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	Client: Westin Drawn by: Daniel Bradley Title: WSW - PRIME EDGE 800 - EM - SS GA V1 20220401	Ref: WSW - PRIME EDGE 800 - EM - SS	Approved by:	Date:	Scale: 1:10 A4 Units: mm Date: 01-04-22
--	--	-------------------------------------	--------------	-------	---



Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control


Duct: 1 x 150mm  $\phi$  Rear Outlet

Soffit Opening - 780mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum




The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



Remote Control





Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control



Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 780mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.






Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



Remote Control



 <b>WESTIN</b>	Client: Westin Drawn by: Daniel Bradley Title: WSW - PRIME EDGE 800 - SS GA V1 20220401	Ref: WSW - PRIME EDGE 800 - SS	Approved by: _____ Date: _____	Scale: 1:10 A4 Units: mm Date: 01-04-22
--	---	--------------------------------	-----------------------------------	---



Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control

Duct: 1 x 150mm  $\varnothing$  Rear Outlet




Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.

	<p>Client: Westin</p> <p>Ref: WSW - PRIME EDGE 900 - EM - REAR - SS</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME EDGE 900 - EM - REAR - SS GA V1 20220401</p>	<p>Approved by:</p> <p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 01-04-22</p>
--	--	----------------------------------	--



Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control




Duct: 1 x 150mm  $\varnothing$  Top Outlet

Soffit Opening - 880mm x 266mm




Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME EDGE 900 - EM - SS GA V1 20220401</p>	<p>Ref: WSW - PRIME EDGE 900 - EM - SS</p>	<p>Approved by:</p>	<p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 01-04-22</p>
--	---	--	---------------------	--------------	--



Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control




Duct: 1 x 150mm  $\varnothing$  Rear Outlet

Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.






Client: Westin  
 Drawn by: Daniel Bradley  
 Title: WSW - PRIME EDGE 900 - REAR - SS GA V1 20220401

Ref: WSW - PRIME EDGE 900 - SS

Approved by:

Date:

Scale: 1:10 A4  
 Units: mm  
 Date: 01-04-22



Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control



Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 880mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum



The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME EDGE 900 - SS GA V1 20220401</p>	<p>Ref: WSW - PRIME EDGE 900 - SS</p>	<p>Approved by:</p> <p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 01-04-22</p>
--	--	---------------------------------------	----------------------------------	--





Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control




Duct: 1 x 150mm  $\varnothing$  Rear Outlet

Soffit Opening - 1080mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Ref: WSW - PRIME EDGE 1100 - EM - REAR - SS</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME EDGE 1100 - EM - SS GA V1 20220401</p>	<p>Approved by:</p> <p>Date:</p>	<p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 01-04-22</p>
--	---	----------------------------------	--



Motor: 1 x SEM Remote Motor - Separate Item

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control






Duct: 1 x 150mm  $\phi$  Top Outlet

Soffit Opening - 1080mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	Client: Westin Drawn by: Daniel Bradley Title: WSW - PRIME EDGE 1100 - EM - SS GA V1 20220401	Ref: WSW - PRIME EDGE 1100 - EM - SS	Approved by:  Date:	Scale: 1:10 A4 Units: mm Date: 01-04-22
--	---	--------------------------------------	---------------------------	---



Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control





Duct: 1 x 150mm  $\varnothing$  Rear Outlet

Soffit Opening - 1080mm x 266mm


Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	Client: Westin	Ref: WSW - PRIME EDGE 1100 - REAR - SS	Approved by:	Date:	Scale: 1:10 A4
	Drawn by: Daniel Bradley				Units: mm
	Title: WSW - PRIME EDGE 1100 - REAR - SS GA V1 20220401				Date: 01-04-22



Motor: 1 x Internal Motor

Lighting: Tunable White LED Strip Light

Motor & Light Controls: Tactile Pushbutton & Remote Control






Duct: 1 x 150mm  $\varnothing$  Top Outlet

Soffit Opening - 1080mm x 266mm

Soffit Thickness - 15mm Minimum upto 22mm Maximum

The extractor is fixed in place by 4 adjustable spring toggles.

Supplementary support of the unit is provided by 2 x sprung safety clips at opposite corners of the unit.



	<p>Client: Westin</p> <p>Drawn by: Daniel Bradley</p> <p>Title: WSW - PRIME EDGE 1100 - SS GA V1 20220401</p>	<p>Ref: WSW - PRIME EDGE 1100 - SS</p>	<p>Approved by:</p>	<p>Date:</p> <p>Scale: 1:10 A4</p> <p>Units: mm</p> <p>Date: 01-04-22</p>
--	---	--	---------------------	---